

Docket No. Q055



TO 0300  
Patent Application

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

Movahed

Serial No.: 10/057,202

Filed: 01/23/2002

For: METHOD AND APPARATUS TO  
REMOVE SUBSTANCES FROM  
VESSELS OF THE HEART AND  
OTHER PARTS OF THE BODY TO  
MINIMIZE OR AVOID RENAL OR  
OTHER HARM OR DYSFUNCTION

Examiner: Unassigned

Group Art Unit: 3736

**RESPONSE TO NOTICE TO FILE  
CORRECTED APPLICATION PAPERS**

Commissioner for Patents  
Washington, DC 20231

Dear Sir:

In response to the Notice to File Corrected Application Papers dated March 6, 2002,

Applicant hereby encloses the following:

- (1) Ten (10) sheets of substitute drawings in compliance with 37 CFR 1.84;
- (2) A copy of the Notice to File Corrected Application Papers.

The Commissioner is hereby authorized to charge and credit Deposit Account No. 01-1960 for any additional fee required or overpayment.

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to: Commissioner for Patents, Washington, DC 20231 on

Mar. 15, 2002

By Nancy V. McElrath

*Nancy V. McElrath 3-15-02*  
Signature Date

Respectfully submitted,

*David E. Allred*

David E. Allred

Registration No. 47,254

MYERS, DAWES & ANDRAS LLP

19900 MacArthur Blvd., Suite 1150

Irvine, CA 92612

Tel: (949) 223-9600

Fax: (949) 223-9610



## UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS  
UNITED STATES PATENT AND TRADEMARK OFFICE  
WASHINGTON, D.C. 20231  
www.uspto.gov

APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
10/057,202	01/23/2002	M. Reza Movahed	Q055

CONFIRMATION NO. 8365

## FORMALITIES LETTER



\*OC000000007574252\*

David E. Allred  
Myers, Dawes & Andras LLP  
Ste. 1150  
19900 MacArthur Blvd.  
Irvine, CA 92612



Date Mailed: 03/06/2002

## NOTICE TO FILE CORRECTED APPLICATION PAPERS

*Filing Date Granted*

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given **TWO MONTHS** from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

The required item(s) identified below must be timely submitted to avoid abandonment:

- Substitute drawings in compliance with 37 CFR 1.84 because:
  - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);
  - Drawings must be reasonably free from erasures and must be free from alterations, overwritings, interlineations, folds, and copy marks.

*A copy of this notice **MUST** be returned with the reply.*

*J. Roberson*

Customer Service Center

Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE